

LA-UR-18-30118

Approved for public release; distribution is unlimited.

Title: Deliberate exotic magnetism via frustration and topology

Author(s): Nisoli, Cristiano




Intended for: Seminar at Physics Department University of Barcelona, 2017-07-06
(Barcelona, Spain)

Issued: 2021-05-18 (rev.1)

Disclaimer:

Los Alamos National Laboratory, an affirmative action/equal opportunity employer, is operated by Triad National Security, LLC for the National Nuclear Security Administration of U.S. Department of Energy under contract 89233218CNA000001. By approving this article, the publisher recognizes that the U.S. Government retains nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or to allow others to do so, for U.S. Government purposes. Los Alamos National Laboratory requests that the publisher identify this article as work performed under the auspices of the U.S. Department of Energy. Los Alamos National Laboratory strongly supports academic freedom and a researcher's right to publish; as an institution, however, the Laboratory does not endorse the viewpoint of a publication or guarantee its technical correctness.

Deliberate Exotic Magnetism via Frustration and Topology




Cristiano Nisoli

Los Alamos National Laboratory



Collaborators



Peter Schiffer
UI Urbana



Ian Gilbert
NIST



Yuyang Lao
UI Urbana



Sheng Zhang
Argonne



Vincent Crespi
Penn State



Gia-Wei Chern
Virginia



Muir Morrison
Caltech





Tammie Nelson
LANL



Paul Lammert
Penn State





Yifei Shi
Virginia



- Direct Imaging of magnetic degrees of freedom
- Designing the low energy dynamics for the collective behavior of interacting nanostructures

Nature Physics 13 (3), 200-203 (2017), Physics Today 69 (7), 54-59 (2016), Reviews of Modern Physics 85 (4), 1473 (2013)


ASI Developing into a multidisciplinary field




- Hexagonal Geometry: extensive degeneracy

Phys. Rev. B 73, 052411, 2006


Phys. Rev. B 77, 094418, 2008






- Hexagonal Geometry: extensive degeneracy
Phys. Rev. B 73, 052411, 2006
Phys. Rev. B 77, 094418, 2008
- Field Reversal and monopole imaging
Nature Physics 6, 359, 2010
Nature Physics 7, 68, 2011



ASI Developing into a multidisciplinary field



- Hexagonal Geometry: extensive degeneracy
Phys. Rev. B 73, 052411, 2006
Phys. Rev. B 77, 094418, 2008
- Field Reversal and monopole imaging
Nature Physics 6, 359, 2010
Nature Physics 7, 68, 2011
- Direct Extraction of Entropy/Shannon Information theory
Nature Physics 6, 786, 2010



- Hexagonal Geometry: extensive degeneracy
Phys. Rev. B 73, 052411, 2006
Phys. Rev. B 77, 094418, 2008
- Field Reversal and monopole imaging
Nature Physics 6, 359, 2010
Nature Physics 7, 68, 2011
- Direct Extraction of Entropy, Shannon Information theory
Nature Physics 6, 786, 2010
- Topological Hall Effect, Transport
Science 335, 1597, 2012



- Hexagonal Geometry: extensive degeneracy
Phys. Rev. B 73, 052411, 2006
Phys. Rev. B 77, 094418, 2008
- Field Reversal and monopole imaging
Nature Physics 6, 359, 2010
Nature Physics 7, 68, 2011
- Direct Extraction of Entropy, Shannon Information theory
Nature Physics 6, 786, 2010
- Topological Hall Effect, Transport
Science 335, 1597, 2012
- Rewritable Artificial Magnetic Charge Ice
Science 352.6288 (2016)

Frustration:

a set of constraints not all of which can be satisfied at the same time



Frustration:

a set of constraints not all of which can be satisfied at the same time



Compromises:

Attempt to optimize gains vs. sacrifices




Frustration:

a set of constraints not all of which can be satisfied at the same time



Compromises:

Attempt to optimize gains vs. sacrifices




Manifold of Choices

Something between order and disorder



Ice Rule in Water Ice and Spin Ice



$$\Delta S = \int_{T_1}^{T_2} \frac{C(T)}{T} dT$$



$$D = \left(\frac{3}{2}\right)^{N/2}$$

W. F. Giaque, M. F. Ashley Phys. Rev. 43 81(1933).



L. C. Pauling, J. Am. Chem. Soc. 57 2680 (1935).





Ice Rule in Water Ice and Spin Ice





Ice Rule in Water Ice and Spin Ice





Ice Rule in Water Ice and Spin Ice





Ice Rule in Water Ice and Spin Ice




Monopoles



Monopoles



Ice Rule in Water Ice and Spin Ice










C. Castelnovo et al.
"Magnetic monopoles in spin ice."
Nature 451.7174 (2008): 42-45.

S. Bramwell et al.
"Measurement of the charge and
current of magnetic monopoles in
spin ice." Nature 461.7266 (2009):
956-959.




Damn! Order!






**Type I
(75%)**






**Type II
(25%)**





Kagome Ice




Kagome Ice



Artificial Spin ice, Emergence, Subtle Exotic States





Geometric Frustration








Geometric Frustration



G. H. Wannier Phys. Rev. 79, 357 (1950)



Trivial Ice Manifolds




Non-Trivial Ice Manifolds









New Journal of Physics
15 (4), 045009 2013



Non-Trivial Ice Manifolds









New Journal of Physics
15 (4), 045009 2013





Non-Trivial Ice Manifolds
















(a)




(b)








$$W = \sum_{\{S_i\}} 2^{n_{\text{FVS}}[\{S_i\}]} = 2^{\frac{N_S}{4}} \sum_{\{S_i\}} \exp \left(\beta J \sum_i S_i S_{i+1} \right)$$

$$\beta J = \frac{\ln 2}{2}$$











600 nm
210K

210 K



New Journal of Physics 15 (4), 045009 2013

700 nm 320K
SF


20K 700nm

We can build spin systems at the nano-scale to generate completely different exotic behaviors, explore topological states both in and out of equilibrium, with unprecedented real-time real-space experimental validation, to test statistical mechanics at the constituent level and to create magnets that do not exist in nature.

Materials and Condensed Matter Physics

[People](#)[PhD study](#)[Jobs](#)[Research areas](#)[Colloquia](#)[Current Research Funding](#)[Publications](#)[Facilities](#)[Internal Information](#)[Kelvin
Nanocharacterisation
Centre](#)[Xenon Plasma FIB
inauguration](#)[CROSS-STEM](#)

Loch Lomond Workshop on Artificial Spin Ice



The workshop will provide updates on recent experimental and theoretical advances in all aspects of artificial spin ice research including thermally active imaging, frustration by design, and high frequency dynamics.

Dates: 26 to 28 June, 2017

Venue: [Lodge on Loch Lomond](#)

